

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"4993068".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/23 11:55
L2	2	"5588059".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/23 12:43
L3	2	"5850443".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/23 13:02
L4	2	EP-1182777-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/23 13:06
L5	2	WO-9941690-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/23 13:46
L6	298	380/28-29.ccls.	US-PGPUB	OR	OFF	2005/12/23 13:47
L7	24	380/263.ccls.	US-PGPUB	OR	OFF	2005/12/23 13:47
L8	0	L6 and L7	US-PGPUB	OR	OFF	2005/12/23 13:47
L9	322	L6 L7	US-PGPUB	OR	OFF	2005/12/23 13:47
L11	58	L9 and ((separat\$ divid\$ partition\$ split\$4) and (algorithm process function)).clm.	US-PGPUB	OR	OFF	2005/12/23 14:08
L15	5	L11 and (intermediate and (variable\$2 key\$2)).clm.	US-PGPUB	OR	OFF	2005/12/23 13:54
L16	4	L11 and non\$linear\$.clm.	US-PGPUB	OR	OFF	2005/12/23 14:08
L17	1	L15 and L16	US-PGPUB	OR	OFF	2005/12/23 13:51
L18	17	L9 and ((separat\$ divid\$ partition\$ split\$4) and ((cryptographic encrypt\$) near(algorithm process function))).clm.	US-PGPUB	OR	OFF	2005/12/23 14:09
L19	0	L18 and non\$linear\$.clm.	US-PGPUB	OR	OFF	2005/12/23 14:08
L20	239	((separat\$ divid\$ partition\$ split\$4) and ((cryptographic encrypt\$) near(algorithm process function))).clm.	US-PGPUB	OR	OFF	2005/12/23 14:10
L21	12	L20 and non\$linear\$	US-PGPUB	OR	OFF	2005/12/23 14:09

L22	1	((separat\$ divid\$ partition\$ split\$4) and ((cryptographic encrypt\$) near(algorithm process function))) and (non\$linear\$) and ((intermediate partial) near2 (key\$2 variable\$2))).clm.	US-PGPUB	OR	OFF	2005/12/23 14:12
L23	0	((separat\$ divid\$ partition\$ split\$4) with ((cryptographic encrypt\$) near(algorithm process function))) and (non\$linear\$) and ((intermediate partial) near2 (key\$2 variable\$2))).clm.	US-PGPUB	OR	OFF	2005/12/23 14:12
L24	0	((separat\$ divid\$ partition\$ split\$4) with ((cryptographic encrypt\$) near(algorithm process function))) and (non\$linear\$) and ((intermediate partial) near2 (key\$2 variable\$2))).clm.	US-PGPUB	OR	ON	2005/12/23 14:12
L25	0	((separat\$ divid\$ partition\$ split\$4) with ((cryptographic encrypt\$) near (algorithm process function))) and (nonlinear\$) and ((intermediate\$ partial) near2 (key\$2 variable\$2))).clm.	US-PGPUB	OR	ON	2005/12/23 14:13
L26	15	((separat\$ divid\$ partition\$ split\$4) same ((cryptographic encrypt\$) same (algorithm process function))) and ((intermediate\$ partial) same (key\$2 variable\$2))).clm.	US-PGPUB	OR	ON	2005/12/23 14:15
L27	5	((separat\$ divid\$ partition\$ split\$4) with ((cryptographic encrypt\$) with (algorithm process function))) and ((intermediate\$ partial) same (key\$2 variable\$2))).clm.	US-PGPUB	OR	ON	2005/12/23 14:17
L28	1	L27 and non\$linear.clm.	US-PGPUB	OR	ON	2005/12/23 14:17
L29	67	380/263.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/23 14:44
L30	3	L29 and (intermediate near5 (key\$2 variable\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/23 14:48
L32	2	L30 and algorithm\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/23 14:49

L33	0	L30 and ((separat\$ partition\$ divid\$) near5 algorithm\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/23 14:49
S1	6	("6694431" "6141759" "6609199").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/18 18:42
S2	4	("6314409" "6480959").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/18 18:52
S3	0	"DKDPA" and secur\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/18 18:53
S4	15	"Differential Key" and secur\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/18 18:54
S5	26	((calculat\$ near algorithm) near data) and secur\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/18 19:24
S6	76	(break\$5 separat\$ fragment\$) near ((algorithm\$ instruction\$ method\$ function\$3) near encrypt\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/18 19:30
S7	33	S6 and variable\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/18 19:30
S8	19	("6278783" "6298442" "6304658" "6327661" "6381699" "6510518" "6539092" "6654884" "2333095").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/19 11:42
S9	11	S8 and (algorithm\$ cipher\$ instruction\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/19 11:42

S10	11	S9 and secur\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/19 11:54
S11	2	"6658569".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/23 12:42
S12	8	("5815083" "5867577" "5790675" "6111952").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/19 12:49
S13	1944	separat\$ with algorithm\$ with data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/20 19:48
S14	5	separat\$ with algorithm\$ with ((protect\$3 secret\$1) near2 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/20 19:53
S15	28	(separat\$ with algorithm\$ with data) and (intermediate with variable)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/20 19:58
S16	180	(separat\$ with algorithm\$ with data).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/20 19:58
S17	10	(separat\$ with algorithm\$ with data with operation).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/20 19:58
S18	2	"5815083".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/22 10:34
S19	2	"5790675".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/22 10:35

S20	2	"6111952".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/22 11:49
S21	1312	380/28-29.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/22 11:50
S22	113	S21 and (intermediate near5 (key\$2 variable\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/22 11:51
S23	95	S22 and algorithm	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/22 11:51
S24	97	S22 and algorithm\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/22 11:51
S25	10	S22 and ((separat\$ partition\$ divid\$) near5 algorithm\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/23 07:52
S26	2	"6542993".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/22 14:54
S28	1312	380/28-29.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/23 14:39
S29	113	S28 and (intermediate near5 (key\$2 variable\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/23 14:47
S30	97	S29 and algorithm\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/23 07:52

S31	10	S29 and ((separat\$ partition\$ divid\$) near5 algorithm\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/23 14:49
S32	87	S30 not S31	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/23 07:52